



TECHNICAL CHARACTERISTICS

MATERIAL
 CONTACT MATERIAL: COPPER ALLOY
 CONTACT TYPE: STAMPED
 CONTACT PLATING: TIN
 QUALITY CLASS: 25 MATING CYCLES
 PITCH: FOR 4.20MM

ENVIRONMENTAL
 OPERATING TEMPERATURE: -40 UP TO 105°C
 COMPLIANCE: LEAD FREE AND ROHS

ELECTRICAL
 CURRENT RATING: 6 TO 9A
 WORKING VOLTAGE: 600V AC
 INSULATOR RESISTANCE: >1000 MOHM
 DIELECTRIC WITHSTANDING VOLTAGE: 1500V AC/MN
 CONTACT RESISTANCE: 20 MOHM MAX

WIRE DIMENSION
 64900313722 AWG 22-16

PACKAGING
 REEL OF 5KPCS
 64900313722DEC: 100PCS BAGS

DIMENSION

ORDER CODE	AWG	A	B	C	D
64900313722	22-16	3.70	4.60	2.00	2.40

RoHS Compliant

REV	DATE	FILE	BY
G			
F			
E	11-JUN-10	DELETE HOLE 2MM	JP
D	16-FEB-09	DRAW & AWG	JP
C	09-AUG-08	T&R DESCRIPTION	RB
B	23-FEB-07	PDF	EC
A	09-FEB-07	ROHS	JERRY CHEN

PROJECTION:	
APPROVAL: RJ	

GENERAL TOLERANCE
.X = +/- 0.2
.XX = +/- 0.15
UNIT: MM
SCALE:
SHEET: 1/2
DRAW: MIKE

WÜRTH ELEKTRONIK

DESCRIPTION: 4.2MM MALE CRIMP TERMINAL 22-16 AWG	SIZE A4
WERI PART NO: 6490 03 13722	

A

B

C

D