


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00				
	D1	REVISED PER ECO-13-005838	03APR13	RW	SY



- 1 0.38µm [.000015] MIN GOLD ON MATING AREA, 1.27µm [.000050] MIN BRIGHT TIN-LEAD ON CRIMP AREA, ALL OVER 1.27µm [.000050] MIN NICKEL.
- 2 2.54µm [.000100] MIN BRIGHT TIN-LEAD ON LOCALIZED PLATE AREA, OVER 1.27µm [.000050] MIN NICKEL.
- 3 2.54µm [.000100] MIN MATTE TIN ON MATING AREA, GOLD FLASH ON CRIMP AREA, BOTH OVER 1.27µm [.000050] MIN NICKEL.
- 4 GOLD PLATING MAY OR MAY NOT BE PRESENT ON THE BOTTOM OF THE CRIMP BARREL

	3 4	487940-4
	2	487940-3
	1	487940-2
FINISH		PART NUMBER

OBSOLETE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.OBERMAN 09-30-91	TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK R.STONE 10-4-91		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	NAME	
0 PLC ± -		PRODUCT SPEC 108-16022	CONTACT, SOLDER TAB, .110 LG, .050 C/L, FFC	
1 PLC ± -		APPLICATION SPEC 114-16008	SIZE A2	CAGE CODE 00779
2 PLC ± 0.13 [.005]		WEIGHT -	DRAWING NO C=487940	RESTRICTED TO -
3 PLC ± -		CUSTOMER DRAWING	SCALE 10:1	SHEET 1 OF 1
4 PLC ± -			REV D1	
ANGLES ± -				
FINISH SEE TABLE				