





LOC		DIST		REVISIONS			
AD	00	P	LTB	DESCRIPTION	DATE	DWN	APVD
		A		REV PER ECO-11-007577	13APR2011	RKC	JE



- 1. PCB HOLE DIM:
 DRILLED HOLE = 0.700 ± 0.025mm
 FINISHED HOLE = 0.600 ± 0.050mm
 Cu THICKNESS = 0.0375 ± 0.0125mm
 SnPb THICKNESS = 0.007 ± 0.003mm
- 2. MATERIAL:
 CONTACT & SHIELD - PHOSPHOR BRONZE
 HOUSING & CHICKLET - GRAY GLASS FILLED POLYESTER
- 3. FINISH: SIGNAL AND GROUND CONTACTS:
 MATING AREA: MEETS THE PERFORMANCE REQUIREMENTS OF PRODUCT SPECIFICATION 108-2055; BASED ON TELCORDIA GR-1217-CORE, APPLICATIONS IN UNCONTROLLED ENVIRONMENTS
 COMPLIANT PIN AREA: 0.5 µm MIN BRIGHT TIN-LEAD OVER BASE PLATING
- 4. CONNECTOR MARKED WITH PART NUMBER AND DATE CODE IN APPROXIMATE AREA SHOWN
- 5. DIMENSION APPLIES TO CENTERLINE OF THRU HOLE
- 6. DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 7. CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995

RECOMMENDED PC BOARD LAYOUT
 COMPONENT SIDE SHOWN
 SCALE 4:1



1469668-1
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. J. MAGARO TIMAR2005	TE Connectivity	
DIMENSIONS: mm		CHK R. A. PATTERSON TIMAR2005	NAME HEADER ASSEMBLY, RIGHT ANGLE, 4 PAIR, LATCHING, HMZd	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ± 3 PLC ± 5 PLC ± 4 PLC ± ANGLES ±		APVD	PRODUCT SPEC	
MATERIAL		FINISH	APPLICATION SPEC	
CUSTOMER DRAWING		SCALE 6:1	SHEET 1 OF 1	
SIZE CAGE CODE DRAWING NO A100779C=1469668		RESTRICTED TO		REV A