

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: Hybrid R Plugs,Australia/NZ, Class I	
	Model No.	
	Part No./Ordering No. R-SAA-3(R)	Rev

## REVISION HISTORY

REV	DESCRIPTION	SUB	DATE	APPROVED
-----	-------------	-----	------	----------

In Addition to GlobTek Inc.'s renewed ISO9001:2008 - Quality Management System Certification, GlobTek Inc. is now certified to:

ISO13485:2003 - Medical Devices Quality Management System Certification  
ISO14001:2004 - Environmental Management System Certification

ISO Certificates are available online at <http://www.globtek.com/iso-certificates/>

### Customer Approval of Specification:

Please approve, sign and send back to GlobTek so we can complete order processing.

A delay in receipt of this form will delay delivery schedule.

Company Name:

Customer P/N:

Quote Number:

Date:

Authorized Representative Name:

Authorized Representative Signature:

The acceptance of this specification and use of the product described in this document indicates the acceptance and binding of the customer to Globtek terms and conditions, which supersede all other agreements, terms, and conditions (<http://en.globtek.com/terms-and-conditions/>).

### Footnote:

GlobTek Inc. will not be liable for the safety and performance of these power supplies if unauthorized access and repair occurs. End user should consult applicable UL, CSA or EN standards for proper installation instruction.

### Limitation of Use:

GlobTek product are not authorized for use as mission critical components in life support hazardous environment, nuclear or aircraft applications without prior written approval from the CEO of GlobTek Inc.

Contents of this document are subject to change without prior notice.

, 0W, V@A, ,

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: Hybrid R Plugs,Australia/NZ, Class I	
	Model No.	
	Part No./Ordering No. R-SAA-3(R)	Rev

**POWER SUPPLY INFORMATION**

TYPE:  
TECHNOLOGY:  
CASE COLOR:  
NAMEPLATE RATED INPUT: ,  
INPUT CONFIG:  
WATTS:  
VOLTS OUT:  
CURRENT OUT (Amps):  
BLADE/CORD INCLUDED: :  
BLADE/CORD INSTALLED: :  
GROUNDING CONFIGURATION  
EFFICIENCY LEVEL:  
OUTPUT CONFIGURATION  
CONNECTOR PIN OUT:  
LABEL SPECS: ,  
PACK SPEC:

Notes/Modifications/Customizations (notes in this section supersede the values shown in the standard spec):

DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE.

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: Hybrid R Plugs,Australia/NZ, Class I	
	Model No.	
	Part No./Ordering No. R-SAA-3(R)	Rev

ELECTRICAL SPECIFICATIONS

GloTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: Hybrid R Plugs,Australia/NZ, Class I	
	Model No.	
	Part No./Ordering No. R-SAA-3(R)	Rev

**INPUT CONFIGURATION**

Blades/Cord Included: :

Blades/Cord Installed: :

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: Hybrid R Plugs,Australia/NZ, Class I	
	Model No.	
	Part No./Ordering No. R-SAA-3(R)	Rev

**OUTPUT CORD AND CONNECTOR:**

ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW

CABLE TYPE

CABLE LENGTH (mm)

CABLE TOLERANCE (mm)

WIRE GAUGE (AWG)

CONDUCTORS

HANK DIMENSION (mm)

CABLE / CONNECTOR OVERMOLD COLOR

FERRITE TYPE / DIMENSION

FERRITE # OF TURNS ([Definition](#))

FERRITE DIMENSION FROM STRAIN RELIEF

FERRITE DIMENSION FROM PLUG

PLUG TYPE

OVER MOLD ORIENTATION

CONNECTOR PIN OUT:

ADDITIONAL REQUIREMENTS

ADDITIONAL OUTPUT PLUG OPTIONS ARE AVAILABLE AT <http://www.globtek.com/connectors/>

STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <http://www.globtek.com/connectors/>

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: Hybrid R Plugs,Australia/NZ, Class I	
	Model No.	
	Part No./Ordering No. R-SAA-3(R)	Rev

**LABEL:**

LABEL P/N:

MATERIAL:

BACKGROUND  
COLOR:

Black if housing is Black, White or Silver if housing is White or Gray.

TEXT COLOR:

White or Silver if label is Black Background for Black housing. Black if label is White or Silver background and Housing is White or Gray

LABEL WIDTH (mm):

LABEL HEIGHT (mm):

Below is the minimum information which will appear on the label. NOTE: in the logo area additional/actual positioning of symbols and text is subjected to change as per agency updates/requirements or additional model approvals become available.

A=

B=P/N: (料号) R-SAA-3(R)

C=Model (型号)

D=Input (输入),

E=Output (输出) V  $\equiv$  A, W

**AGENCY ONLINE DOCUMENTS**

CE EC-Declaration for Medical

[Contact GlobTek for more information](#)

CE EC-Declaration for Industrial/Commercial/ITE [http://www.globtek.com/pdf/ec\\_declaration/a00a000000HSf0sEAD](http://www.globtek.com/pdf/ec_declaration/a00a000000HSf0sEAD)

RoHS/RoHS2 Declaration

[http://www.globtek.com/pdf/rohs\\_cert/01t30000002p9AhAAI](http://www.globtek.com/pdf/rohs_cert/01t30000002p9AhAAI)

REACH Declaration

[http://www.globtek.com/pdf/iso\\_certificates/REACH.pdf](http://www.globtek.com/pdf/iso_certificates/REACH.pdf)

Conflict Minerals Declaration

<http://www.globtek.com/pdf/conflict-minerals.pdf>

IPXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering.

**Regulatory Certifications/Label Markings**

LATEST PRODUCT/MODEL CERTIFICATIONS: n/a

AGENCY ONLINE DOCUMENTS:

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: Hybrid R Plugs,Australia/NZ, Class I	
	Model No.	
	Part No./Ordering No. R-SAA-3(R)	Rev

**PACKAGING**

Packing Spec P/N:

Box Qty:                   TBD

Gift Box Size (mm):

Gift Box Color:           White

Master Carton

Size (mm):

Master GW (Kg):         kg

BLADES INCLUDED:     :

BLADE/CORD  
INSTALLED:             :

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: Hybrid R Plugs,Australia/NZ, Class I	
	Model No.	
	Part No./Ordering No. R-SAA-3(R)	Rev

INSTRUCTION SHEET